

Body as a Whole: asthenia, fever, allergic reaction, chills, malaise, chest pain substernal, neck rigidity, photosensitivity reaction. Rare: abdomen enlarged, face edema, hangover effect. **Cardiovascular System:** hypertension, myocardial infarct, electrocardiogram abnormal, migraine, syncope, angina pectoris, bundle branch block, palpitation, sinus bradycardia, tachycardia. Rare: bradycardia, pulmonary embolus, supraventricular tachycardia, thrombophlebitis, vasodilation, QTC prolongation and ventricular tachycardia. **Digestive System:** diarrhea, nausea, abdominal pain, vomiting, dyspepsia, flatulence, constipation, dry mouth, eructation, gastroenteritis, rectal hemorrhage, melena, anorexia, cholelithiasis, mouth ulceration, stomatitis, dysphagia, gingivitis, cholecystitis, increased appetite, abnormal stools, colitis, esophagitis, glossitis, pancreatitis, proctitis. Rare: bloody diarrhea, cholangitis, duodenitis, gastrointestinal hemorrhage, hepatic encephalopathy, hepatitis, hepatoma, liver fatty deposit, salivary gland enlargement, thirst. **Endocrine System:** hyperthyroidism, hypothyroidism. **Hemic & Lymphatic System:** anemia, ecchymosis, lymphadenopathy, hypochromic anemia. **Metabolic & Nutritional Disorders:** peripheral edema, edema, weight gain, gout, dehydration, weight loss. **Musculo-Skeletal System:** myalgia, arthritis, leg cramps, bone pain, arthrosis, bursitis. Rare: twitching. **Nervous System:** insomnia, anxiety, dizziness, depression, nervousness, somnolence, hypertonia, neuralgia, vertigo, convulsion, abnormal dreams, libido decreased, neuropathy, paresthesia, tremor. Rare: agitation, amnesia, confusion, extrapyramidal syndrome, hyperkinesia. **Respiratory System:** dyspnea, asthma, epistaxis, laryngitis, hiccup, hyperventilation. Rare: apnea, hypoventilation. **Skin and Appendages:** rash, pruritus, sweating, urticaria, alopecia. Rare: dry skin, herpes zoster, psoriasis, skin discoloration. **Special Senses:** cataract, amblyopia, glaucoma, dry eyes, abnormal vision, tinnitus, otitis media. Rare: corneal opacity, blurry vision, diplopia, deafness, eye pain, retinal degeneration, strabismus. **Urogenital System:** cystitis, urinary frequency, dysmenorrhea, dysuria, kidney calculus, metrorrhagia, polyuria. Rare: breast enlargement, hematuria, impotence, leukorrhea, menorrhagia, orchitis, urinary incontinence.

Laboratory Values: The following changes in laboratory parameters were reported as adverse events: abnormal platelets, albuminuria, creatine phosphokinase increased, erythrocytes abnormal, hypercholesterolemia, hyperglycemia, hyperlipemia, hypokalemia, hyponatremia, leukocytosis, leukorrhea, liver function tests abnormal, prostatic specific antigen increase, SGPT increased, urine abnormality, WBC abnormal.

In controlled clinical studies, 3/1456 (0.2%) patients treated with rabeprazole and 2/237 (0.8%) patients treated with placebo developed treatment-emergent abnormalities (which were either new on study or present at study entry with an increase of 1.25 x baseline value) in SGOT (AST), SGPT (ALT), or both. None of the three rabeprazole patients experienced chills, fever, right upper quadrant pain, nausea or jaundice.

Combination Treatment with Amoxicillin and Clarithromycin: In clinical trials using combination therapy with rabeprazole plus amoxicillin and clarithromycin (RAC), no adverse events unique to this drug combination were observed. In the U.S. multicenter study, the most frequently reported drug related adverse events for patients who received RAC therapy for 7 or 10 days were diarrhea (8% and 7%) and taste perversion (6% and 10%), respectively.

No clinically significant laboratory abnormalities particular to the drug combinations were observed.

For more information on adverse events or laboratory changes with amoxicillin or clarithromycin, refer to their respective package prescribing information, **ADVERSE REACTIONS** section.

Post-Marketing Adverse Events: Additional adverse events reported from worldwide marketing experience with rabeprazole sodium are: sudden death; coma and hyperammonemia; jaundice; rhabdomyolysis; disorientation and delirium; anaphylaxis; angioedema; bullous and other drug eruptions of the skin; severe dermatologic reactions, including toxic epidermal necrolysis (some fatal), Stevens-Johnson syndrome, and erythema multiforme; interstitial pneumonia; interstitial nephritis; and TSH elevations. In most instances, the relationship to rabeprazole sodium was unclear. In addition, agranulocytosis, hemolytic anemia, leukopenia, pancytopenia, and thrombocytopenia have been reported. Increases in prothrombin time/INR in patients treated with concomitant warfarin have been reported.

OVERDOSAGE

Because strategies for the management of overdose are continually evolving, it is advisable to contact a Poison Control Center to determine the latest recommendations for the management of an overdose of any drug. There has been no experience with large overdoses with rabeprazole. Seven reports of accidental overdosage with rabeprazole have been received. The maximum reported overdose was 80 mg. There were no clinical signs or symptoms associated with any reported overdose. Patients with Zollinger-Ellison syndrome have been treated with up to 120 mg rabeprazole QD. No specific antidote for rabeprazole is known. Rabeprazole is extensively protein bound and is not readily dialyzable. In the event of overdosage, treatment should be symptomatic and supportive.

Single oral doses of rabeprazole at 786 mg/kg and 1024 mg/kg were lethal to mice and rats, respectively. The single oral dose of 2000 mg/kg was not lethal to dogs. The major symptoms of acute toxicity were hypoactivity, labored respiration, lateral or prone position and convulsion in mice and rats and watery diarrhea, tremor, convulsion and coma in dogs.

Rx only.

ACIPHEX® is a registered trademark of Eisai Co., Ltd., Tokyo, Japan.
Manufactured and Marketed by Eisai Inc., Teaneck, NJ 07666
Marketed by Janssen Pharmaceutica Inc., Titusville, NJ 08560

200298B

Revised August 2003
© 2003 Eisai Inc.

Classified Ads

PHYSICIAN WANTED FOR PART-TIME HOURS at the following locations: Hickory, Gastonia, Charlotte, Monroe; working with patients seeking recovery from addictions doing histories and physicals, minor medical issues including treatment of mood disorders. Background in primary care preferred; experience in addiction medicine a plus. To apply, please visit www.mcleodcenter.com or send resume to McLeod Center, Attn: Dept WG, 145 Remount Rd, Charlotte, NC 28203. EOE.

ORGANIZED BILLING SOLUTIONS, INC. Reimbursements within same month. State of the art software. Exceptional service on a friendly personal level. 888-944-2455 or obsinc@bellsouth.net

PHASE II OF THE KERNERSVILLE PROFESSIONAL CENTER is now completed. We are currently offering office units for sale or lease. These units can be tailored to meet your needs. This complex is located next to the new High Point Regional Health Facility, on Old Winston Road in Kernersville, NC. Just off Main Street and easy access to highway Business 40. If you are interested in this unique offering, please call Tom for more information. Heritage Property Brokers 336-682-6852

MEDICAL SUITES FOR LEASE AND FOR SALE: New Class A medical building under construction across from WakeMed Hospital in Raleigh. Suites for lease from 3000 sf. Medical condos for sale in Fuquay-Varina from 1170 sf. Suites can be tailored to meet your needs. For information call 919-345-6269 or email fnbabich@mindspring.com. Frank Babich, Broker.

MOVE TO THE BEACH: BOARD CERTIFIED PHYSICIANS needed for Family Medicine/Urgent Care/Occupational Medicine offices in Jacksonville and Wilmington, NC. Contact: Bob Kastner, MD, FAAFP, FACEP 910-392-7806. Fax: 910-392-2428. kastnerr@bellsouth.net, www.medcareofnorthcarolina.com.

NORTH CAROLINA—CHARLOTTE AREA. Progressive Urgent Care Centers seeking physicians for shift work to include evenings and weekends. Outpatient only. No call. Flexible schedule. Competitive salary and benefits. Fax CV to Dawn Bradley @ Piedmont HealthCare: 704-873-4511 or call 704-873-4277 ext. 220. No J-1 waiver.

Is Your Practice Looking for a Physician?

The North Carolina Medical Journal classified section is one of the few channels that reaches large numbers of North Carolina physicians with information about professional opportunities.

More than 15 000 physicians now receive the Journal.

Our classified ads can help your practice find the right physician as well as helping physicians find compatible career opportunities.