

SUPPLEMENTAL TABLE 2.**Post-Hoc Analysis Evaluating Proportion of Patients with Stage I NSCLC in North Carolina Receiving Surgical Consultation, 2006–2015**

Year	% with Surgical Consultation	% with Radiation Oncology Consultation	% with Both Consultations	% with Either Consultation
All Years	76.8%	47.2%	34.3%	89.7%
2006	82.6%	33.6%	28.1%	88.3%
2007	84.1%	44.4%	36.4%	92.6%
2008	81.3%	41.1%	35.3%	88.1%
2009	77.1%	44.3%	32.4%	87.2%
2010	75.3%	46.3%	34.9%	88.1%
2011	73.8%	47.4%	34.2%	89.5%
2012	78.1%	50.3%	39.5%	91.0%
2013	71.3%	49.6%	35.0%	88.4%
2014	71.7%	53.8%	31.9%	91.3%
2015	70.8%	55.5%	35.3%	92.6%
Time Trend aOR ^a (95% CI)	0.90 (0.88,0.92)	1.07 (1.05,1.09)	1.00 (0.98,1.02)	1.00 (0.96,1.03)
Total by Treatment				
None	40.0%	19.8%	11.2%	48.5%
Surgery	98.5% ^b	36.6%	35.9%	99.1% ^b
Radiation	51.3%	94.1% ^b	47.7%	97.7% ^b
Either	84.9%	53.2%	39.3%	98.7% ^b

Abbreviations: aOR: adjusted odds ratio; CI: confidence interval; Bolded results denote statistical significance at $P < .05$.

^aModels adjusted for age, race, sex, comorbidities, and insurance. Interpreted as change in likelihood of evaluation with each additional year.

^bIdeally these are 100%, but this gives an estimate of the error in capturing outpatient consultations in the database.